

THINK OUTSIDE THE CUP

THE NORTON PAINT SYSTEM



RE-ENGINEERED FOR TOP PERFORMANCE

The Norton Paint System with its distinctive unitized construction allows for spraying in any position with or without the hard cup. The easy to assemble system ensures a consistent spray pattern, convenient storage of paint as well as easy and clean disposal of the entire unit.

When it comes to inventing a better system, you have to think outside the cup.

SIMPLY INGENIOUS

NORTON

PAINT SYSTEM



NORTON PAINT SYSTEM

Put a Lid on your Problems

The expanded lid lip and more robust fastening clips secure the lid to the ring for a complete seal and total protection. The larger filter size and expanded space between the filter and the tower allows for increased volume which creates optimum flow and the filters are color-coded for easy identification of mesh size. Norton can help put a lid on your problems.



FEATURING A ROBUST
NEW LID / FILTER DESIGN ▶



NORTON
PAINT SYSTEM



COMPATIBLE WITH WATERBORNE

www.nortonautomotive.com

HOW TO DO IT

The Norton disposable paint cup eliminates the problem of gunked up threads because each unit comes with a fresh set of threads. The only reusable component to keep track of is the hard mixing cup with pre-printed measurements, so there are no inserts to keep track of either. The unitized Lid/Liner assembly is guaranteed never to come apart during disposal which eliminates the hazard and mess of spilled paint. Or, it can be securely sealed with the plug for use in future spraying of the remaining paint. No matter how you handle it, the unitized leak-proof Lid/Liner assembly is guaranteed to remain securely sealed during disposal or storage. It's as simple and as ingenious as that.



Thread the Norton adapter to the spray gun.



Seat the ring into the cup.



Insert the liner into the ring.

Load the paint by weight or by using the pre-printed mixing ratio scales on the mixing cup.



Mix the paint by stirring (if not using a mechanical shaker) and **clean the liner flange/ring area of any spilled paint before attaching the lid.**



Seat the lid onto ring and rotate lid twice to attach:

- A **1/4 turn counter-clockwise until two "clicks" are heard.**
- B **Rotate lid clockwise until tight.**



"Snap" wings to cup.



Insert the plug firmly into the lid tower if using a mechanical shaker or for storage until ready to use.



Add the shaker cap to shake the paint.



After shaking, check the lid and tighten if needed. Allow the paint to settle and slowly remove the plug to release any air.



Mount the adapter flush to the lid tower base by pressing down firmly on the spray gun.



"Snap" the adapter locks over the adapter base to secure the lid to the gun adapter.



Connect the air line to the gun and purge the air from the liner, adjust the spray pattern and you're ready to spray.

SOLVE A PROBLEM FROM ANY ANGLE




The unique unitized construction of the Norton Paint System keeps the liner, lid and ring completely sealed and working as one unit so you can paint with the Mixing Cup attached.

OR

If you have to maneuver into a tight spot, simply unsnap the wings that secure the Mixing Cup to the unitized system and keep on spraying without any concern for leakage. The Norton Paint System is guaranteed not to leak.

Spraying at any angle, even upside down, is no problem for the versatile, self-contained system.



Spherical bottom creates vortex for proper paint mixing when stirring



Mix ratio scales printed directly on the reusable mixing cup

Precision engineered liner collapses evenly for complete drainage and consistent performance.

The larger filter size and expanded space between the filter and the tower allows for increased volume which creates optimum flow. Mesh size identification is easy with color-coded filters. Refer to the paint manufacturer's recommendation for the correct filter mesh.



CALL 1 888 295-5148

TAKE NORTON FOR A TEST DRIVE!

Norton is 100% committed to bringing the best performing products to body shops at a fair price. You can test drive Norton products in your shop when it's convenient for you. Simply let your Norton salesperson know when you'd like to test Norton in your shop. Our test drive program allows the technicians to do their regular work, without interruption, using Norton products at no cost in "real world" conditions.

You're the final judge of performance. At the end of the day, the Norton salesperson will review the results, provide you with potential cost savings and convert the shop to Norton products if you like what you see. There has never been a better time to look at ways to increase productivity and to reduce costs at absolutely no risk to you. **Call 1 888 295-5148 to set up a Test Drive today.**

ADAPTERS FOR THE MOST POPULAR GUNS



2A 4A 5A 6A 7A 8A



9A 10A 11A 12A 14A 15A



16A 17A 18A 19A 20A 21A



22A 23A 24A 25A Quick-Connect adapter #21880 Quick-Connect adapter #21752



31A 32A 37A 43A

Adapter Availability

Adapters allow most spray guns to be easily adapted to the Norton Paint System. The most popular adapters are listed in blue.

076607-	ADAPTER		
21658	16mm Female, 1.5mm Thread		2A
21659	12mm Female, 1.0mm Thread		4A
21660	12mm Male 1.5mm Thread		5A
21661	1/4 Male, 19 Thread	BSP	6A
21662	3/8 Female, 18 Thread	BSP	7A
21663	12mm Male, 1.0mm Thread		8A
21664	16mm Male, 1.5mm Thread		9A
21665	Elbow Swivel Nut-1/4 Female-19 Thread	BSP	10A
21666	3/8 Male, 18 Thread	NPS	11A
21667	10mm Male, 1.0mm Thread		12A
21668	7/16 Male, 14 Thread	UNC	14A
21669	3/8 Male, 19 Thread	BSP	15A
21675	3/8 Female, 19 Thread	BSP	16A
21676	1/4 Female, 19 Thread	BSP	17A
21670	3/8 Female, 18 Thread	NPS	18A
21671	3/8 Female, 19 Thread	BSP	19A
21672	1/8 Male, 27 Thread	UPSM	20A
21673	14mm Female, 1.0mm Thread		21A
21674	8mm Male, 0.75mm Thread		22A
21677	1/4 Female, 18 Thread	NPS	23A
21678	Elbow Swivel Nut-1/4 Female-18 Thread	NPS	24A
21679	1/4 Female, 19 Thread	BSP	25A
21883	1/8 Male, 28 Thread	BSP	31A
21884	18mm Female, 1.5mm Thread		32A
21881	5/8-11 Modified Thread		37A
21882	(modified) 1/4 Male, 19 Thread	BSP	43A
21880	Quick Connect for SATA Mini-Jet 4		use with 12A
21752	Quick Connect for SATA Jet 3000		use with 5A

1 PER PACKAGE / 4 PER CASE



Adapter Guide

These are the adapters needed for the most popular guns.

MANUFACTURER	SPRAY GUN	ADAPTER
Accuspray	Issac	7A
Airgunsa	AZ40 HTE	8A
Asturo	OM Green	6A
DeVilbiss	PRI, GTI, GTI Pro, GFG, GFV,GFHV 510	15A
Eminent	E13	6A
IWATA	W 400, WR 400, LPA 94, VXL Primer Gun, LPH 400, LPH 440	2A
	W300,LPH 300	6A
	Supernova WS400, LS400	43A
	LPH-80 Mini Spray Gun	31A
Kremlin	M 21 G	6A
Sagola	475 Mini-Gun	12A
	403 G, 433 G, 434 G, 444 G, 450 G	5A
	4100 G, 4200 G, 4300	5A
	4400 Extreme	32A
SATA	SATAjet 2000 HVLP w/o QCC	9A
	SATAjet RP w/o QCC	9A
	SATA LM 2000 HVLP/RRP	9A
	SATA KLC HVLP/RRP,KLC P	9A
	SATAjet 90	9A
	SATA 3000 with Quick Connect	5A
	SATAjet B	2A
	SATAjet B NR 92,NR 95 HVLP	2A
	SATA LM B 92	5A
	SATAMinijet,minijet 2, 3, 4	12A
Sharpe	GT1,Platinum,Titanium,Cobalt,SGF 98	11A
Walcom	FX GEO, FX HVLP	8A



NORTON PAINT SYSTEM AVAILABILITY

Unitized construction, easy assembly, complete versatility and clean disposal make the Norton Paint System superior for any shop focused on decreasing costs and increasing quality.



Reusable Mixing Cup

The reusable mixing cup has pre-printed mixing ratio scales on the cup for greater convenience. The mixing cups are used with the components from the kits to create a unitized system.

CUP SIZE	DESCRIPTION	076607-	QTY PER PKG	PKG PER CASE
Small	8oz/250ml use with 21866	21650	2	4
Medium	25oz/750ml use with 21867	21651	2	4
Large	32oz/950ml use with 21868	21652	1	4



Kit: Liners/Rings

Each kit comes with liners and rings to fit the reusable mixing cup.

KIT SIZE	DESCRIPTION	076607-	QTY PER PKG	PKG PER CASE
Small	8oz/250ml use with 21650	21866	24	1
Medium	25oz/750ml use with 21651	21867	24	1
Large	32oz/950ml use with 21652	21868	24	1



Kit: Lids / Plugs

Each kit comes with lids and plugs. The built-in filter is color-coded to indicate the mesh size.

KIT SIZE	125µ FILTER 076607-	190µ FILTER 076607-	226µ FILTER 076607-	NO FILTER 076607-
Small	21870	21872	21873	21865
Medium/Large	21875	21877	21878	21885

ALL ARE 24/CASE



Shaker Cap

The shaker cap fits both the Medium and Large Cups when using a mechanical shaker to mix the paint.

DESCRIPTION	076607-	QTY PER PKG	PKG PER CASE
Fits both Medium and Large cups	82012	24	1



Stir-Stick

The 3-sided stir-stick has a rounded bottom to ensure good mixing in the curved liner.

DESCRIPTION	076607-	QTY PER PKG	PKG PER CASE
For use with all cup sizes. Includes mixing scales.	21879	10	1



Dispensers

For convenient dust free storage of kit components.

DESCRIPTION	076607-	QTY PER PKG	PKG PER CASE
Small Liner Dispenser (Holds 50 Liners)	21654	1	1
Medium/Large Liner Dispenser (Holds 50 Liners)	21655	1	1
Lid and Ring Dispenser (Holds 25 M/L Lids or Rings or 50 Small Lids or Rings)	21656	1	1



Paint Suits

All purpose lightweight protective suit is easy to clean and lint free. Full zipper front, hook & loop sleeve and ankle fasteners, full hood, elastic waist and rear pocket. Comes in white nylon front, sleeves and hood and blue breathable cotton backside.

SUIT SIZE	636425-	QTY PER PKG	PKG PER CASE
Medium	06079	1	1
Large	06080	1	1
X-Large	06081	1	1
XX-Large	06082	1	1



Saint-Gobain Abrasives, Inc.
 USA: Telephone 1 800 456-8444
 Canada: Telephone 1 800 263-6565
www.nortonautomotive.com



BETTER PERFORMANCE + BETTER PRICE = BETTER VALUE!

© Saint-Gobain Abrasives, Inc. July 2010 • The Norton logo is a registered trademark of Saint-Gobain Abrasives, Inc.

FORM # 8074

